Sulphur





Sulphur Product

Please be informed that JPRC produce sulphur from acid gas and sour water gas in sulphur recovery unit according to the following specifications:-

Form	Solid Sulphur (Pellets / Flakes).
Purity	99.8 % min. on dry weight basis.
Hydrocarbons	200 ppm max. as Carbon (by weight).
Ash	180 ppm max. as Carbon (by weight).
Acidity (as H ₂ SO ₄)	300 ppm max.
Water content	0.3% max.
Arsenic	2 ppm max.
Selenium – Tellurium	3 ppm max.
Chloride	10 ppm max.
H_2S	10 ppm max.
Appearance	Bright yellow.

If you have any questions, please feel free to contact us.

Tel.: +962-6-4657600 / 4630151

Rev.(0): SEP. 2021

Jordan Petroleum Refinery Co. Ltd. Fax: +962-6-4657934 / 4657939

E-mail: addewan@jopetrol.com.jo