



شركة مصفاة البترول الاردنية المساهمة المحدودة

عمان - الأردن

مناقصة: رقم (111 / 2025) طلب المواد رقم (25010016) (safety foot wear boots & shoes)

الموضوع: - دعوة للاشتراك في مناقصة محلية

ترغب شركة مصفاة البترول الاردنية بشراء المواد المبينة تفصيلها ومواصفاتها الفنية في الكشف المرفق وباعتباركم مورداً لهذه المواد نوجه هذه الدعوة لكم للاشتراك بالمناقصة اعلاه وتقديم عرض سعر للمواد المطلوبة مع الالتزام بكافة الشروط والمواصفات المطلوبة، وفيما يلي الشروط العامة للمناقصة: -

1. تقديم عرض الأسعار على (نسختين) قبل الموعد المحدد لإغلاق المناقصة ضمن ظرف مغلق ومختوم مينا عليه رقم المناقصة وتاريخ الاغلاق واسم وعنوان المناقص ويسلم باليد الى (دائرة المشتريات الإدارة العامة - جبل عمان - الدوار الأول) ولا يقبل اي عرض يرسل بالفاكس نهائياً.
2. يجب ان يكون عرض الاسعار مروس باسم وعنوان المورد موقعاً ومختوماً بالخاتم الرسمي للمناقص ومرفقاً بصورة الشروط موقعة ومختومة لتأكيد التزامكم بكافة الشروط والمواصفات وكذلك تقديم صورة من السجل التجاري ورخصة المهن سارية المفعول.
3. على المناقص تثبيت الاسعار الافردية والاجمالية في عرض الاسعار رقما وكتابة بخط واضح دون تصحيح او كشط او محو او تعديل.
4. على المناقص بيان الشروط التالية في عرض الأسعار وبشكل واضح: -
  - شمول السعر لضريبة المبيعات 16% او اية نسبة تحدد بعرض السعر والرسوم الجمركية.
  - في حال وجود اي خدمة اضافية يراد تقديمها في العرض وغير واردة في مواصفات طلب المواد يجب ان يتم ذكرها بالتفصيل وان يتم بيان كلفتها المالية بشكل واضح.
  - مدة صلاحية الأسعار يجب الا تقل عن (90) يوم من تاريخ اغلاق المناقصة وخلاف ذلك يحق لشركة مصفاة البترول استبعاد العرض
  - اجور النقل الى مستودعات المصفاة الزرقاء يجب ان تكون مشمولة ضمن السعر المعروض.
  - ان تكون المواد المعروضة جديدة وغير مستعملة او مجددة وخالية من العيوب مع بيان سنة الصنع.
  - تحديد منشأ البضاعة والالتزام بتقديم شهادة بلد المنشأ عند توريد المواد (مصدقة اصولاً او تشير للبيان الجمركي) وتحديد اسم الشركة الصانعة، مده التوريد، مكان التسليم
5. الشركة غير ملزمة بالإحالة على اقل الاسعار ويحق لها رفض اي عرض دون ابداء الاسباب.
6. يحق للشركة الغاء المناقصة او اعادة طرحها او شراء جزء منها او التعديل على الكميات المطلوبة دون بيان الاسباب ودون ان تتحمل اي مسؤولية أياً كان نوعها.
7. على المناقص عدم مراجعة اي جهة فنية في الشركة الا بالتنسيق مع دائرة المشتريات.

7/6



## شركة مصفاة البترول الاردنية المساهمة المحدودة

عمان - الأردن

8. المواد المطلوبة خاضعة للزيادة والنقصان بنسبة  $\pm 25\%$ .
9. على المناقص الالتزام بقبول الإحالة الجزئية.
10. على المناقص الالتزام بتقديم عينات مجانية للمواد المعروضة في حال طلبها حسب ما هو مطلوب وشهادات الفحص المبينة في الشروط المرفقة او كتالوجات لأي من البنود المطلوبة مع العرض.
11. على المناقص الالتزام بدفع قيمة طوابع الواردات والبالغة (6) بالآف على قرار الاحالة خلال عشرة ايام من تبليغه بقرار الإحالة.
12. على المناقص تقديم كفالة حسن تنفيذ غير مشروطة بنسبة 10% من القيمة الاجمالية بعد تبليغه بقرار الاحالة تبقى سارية المفعول لحين استلام المواد والموافقة عليها.
13. يتم دفع ثمن المواد المشتراة بعد استلام المواد في مستودعات الشركة وبعد صدور سند استلام يؤكد استلامها كاملة ومطابقة للشروط والمواصفات.
14. في حال تأخير توريد او تنفيذ المناقصة حسب ما تم الاتفاق عليه يترتب على المورد المحال عليه المناقصة غرامة قدرها (20) دينار أردني عن كل يوم تأخير على ان لا تتجاوز 5% من قيمة الإحالة .
15. في حال اخلال المورد المحال عليه المناقصة باي من الالتزامات يحق للشركة الغاء الاحالة واللجوء الى طرف ثالث دون الحاجة لأي اخطار او انذار عادي او عدلي ودون الحاجة لمراجعة القضاء وتحميل المورد كافة التكاليف المترتبة على ذلك.
16. إذا عجز المورد المحال عليه المناقصة عن التوريد أو تأخر في تقديم كمية من أصل العطاء او المناقصة أو عجز عن تقديم أية كمية في وقتها المحدد أو إذا ثبت أن أحد المناقصين قدم للشركة لوازم أو قام بأداء خدمات بطرق الغش، لشركة مصفاة البترول الحق بما يلي:
  - مصادرة كفالة حسن التنفيذ المقدمة للمناقصة أو جزء منها، وقيد المبلغ المصادر إيراداً لحساب الشركة.
  - القيام بشراء اللوازم من الأسواق المحلية أو الأجنبية بالأسعار الراجعة والرجوع على المناقص بفرق السعر وخصم ذلك من الكفالة ، أو إحالة المناقصة او جزء منها على السعر الذي يليه مع تحميل المستنكف فرق السعر
  - حرمان المناقص من الدخول في العطاءات/ المناقصات للمدة التي تراها الشركة مناسبة.
17. تعتبر هذه الشروط جزءاً لا يتجزأ من المناقصة وعلى المورد الالتزام بما جاء فيها.
18. اخر موعد لقبول واستلام العروض قبل الساعة الثانية عشر والنصف من ظهر يوم الخميس 2025/03/06 وتسلم لدائرة المشتريات - الادارة العامة - جبل عمان - الدوار الأول -الطابق الأول - مكتب 10
19. في حال وجود أي استفسار يتم إرساله بالبريد الإلكتروني على العنوان ([Purchasing@jopetrol.com.jo](mailto:Purchasing@jopetrol.com.jo)).

7/5



شركة مصفاة البترول الاردنية المساهمة المحدودة

عمان - الأردن

20. يجب ان تكون الفاتورة المقدمة من قبلكم في حال شراء السلع او تقديم خدمة وفقا" لنظام تنظيم شؤون الفوترة والرقابة عليها

رقم (34) لسنة 2019 وسيتم رفض أي فاتورة لا تكون وفقا" للنظام أعلاه.

كما يشترط تقديم البيانات التالية على الفواتير الصادرة من قبلكم: -

الاسم الكامل للشخص أو الشركة أو المفوض بالتوقيع وختم الشركة الرسمي او المفوض بالتوقيع وتوقيعه.

الرقم الوطني الكامل للشخص أو الشركة أو المفوض بالتوقيع.

العنوان الكامل بالإضافة إلى رقم الهاتف والصندوق البريدي والرمز البريدي.

الرقم الضريبي للشخص أو الشركة إن وجد.

25



S. No.	Item No.	Description 1	UoM	QTY	Conformity List	Vendor's/Supplier's acceptance/ comments
1	1000004025	SAFETY FOOT WEAR BOOT SIZE NO. : 39	PR	40	<p>1.Conforms to EN ISO 20345 latest issue category: S3, HRO, SRC.</p> <p>2.Black ankle boot design(B), full grain leather.</p> <p>3.Safety foot wear according to classification (I)of relevant standard.</p> <p>4.Steel or composite material toe cap &amp; insole.</p> <p>5.Anti-static, anti-slip.</p> <p>6.Nitrile sole/outsole resistant to acids/bases, lubricant oil and particularly petroleum products.</p> <p>7.Heat resistant sole/outsole.</p> <p>8.Antibacterial lining.</p> <p>9.Size according to EN ISO 20345 latest issue-(French standard).</p> <p>10.Marking:</p> <p>10.1.Manufacturer name/logo, identification trade mark and model identification.</p> <p>10.2.Standard no., symbol category: S3, HRO, SRC.</p> <p>10.3.Date of manufacturing</p> <p>11.Requirements the following shall be provided with the offers: -</p> <p>11.1.Updated catalogues, technical data sheets.</p> <p>11.2.EC-type examination certificate from notified body and the detailed test reports referred to in the conformity certificate according to EN ISO 20345 latest issue</p> <p>11.3.Cleaning and storage instructions.</p> <p>11.4.Sample of the offered boots.</p> <p>12.Application:</p> <p>12.1.General maintenance, operation and industrial purposes.</p> <p>12.2.To protect foot against mechanical risks of sole penetration, toes crushing and slips.</p>	
2	1000004026	SAFETY FOOT WEAR BOOT SIZE NO. :40	PR	60		
3	1000004028	SAFETY FOOT WEAR BOOT SIZE NO. : 42	PR	250		
4	1000004029	SAFETY FOOT WEAR BOOT SIZE NO. : 43	PR	200		
5	1000004030	SAFETY FOOT WEAR BOOT SIZE NO. : 44	PR	100		
6	1000004031	SAFETY FOOT WEAR BOOT SIZE NO. :45	PR	100		
7	1000004048	SAFETY FOOT WEAR SHOES SIZE : 42	PR	30	<p>1.Conforms to EN ISO 20345 latest issue-classification (I), design (A), category (S3), (SRC), (HRO), (WR)</p> <p>2.Black, full grain leather.</p> <p>3.Steel or composite material toe cap &amp; insole.</p> <p>4.Nitrile sole / outsole resistant to acids/ bases, lubricant oil and particularly suitable for petroleum products.</p> <p>5.Antibacterial lining.</p> <p>6.Size: according to EN ISO 20345 latest issue -(French standard)</p> <p>7.Testing shall be according to EN 20344</p> <p>8.Marking shall be according to EN 20345 with the following:</p> <p>8.1.Size - manufacturer name /logo, identification mark and model identification.</p> <p>8.2.Standard No., symbol category: S3, HRO, SRC, WR.</p> <p>8.3.Date of manufacturing, -marking category and additional requirements.</p> <p>9.Requirements information to be supplied mentioned in EN 20345 shall be provided with the offer (but not limited to) the following:</p> <p>9.1.Updated catalog, technical data sheets.</p> <p>9.2.Detailed product specification sheet showing construction, limitation of use, standard no., ..... etc.</p> <p>9.3.EC- type examination certificate from notified body and the detailed tests reports referred to in the conformity certificate according to EN iso 20345 latest issue .</p> <p>9.4. Test certificates includes all required tests that illustrated according to EN iso 20345 latest issue.</p> <p>9.5.Storage and cleaning instructions.</p> <p>9.6.Sample of the offered safety shoes.</p> <p>10.Application: General maintenance, operation and industrial purposes. to protect foot against mechanical risks of sole penetration, toes crushing and slips.</p> <p>11.Payment will not be effected unless the admission of safety materials for handling in the H.K of Jordan permitted by Jordanian standards and metrology organization (JSMO).</p>	
8	1000004049	SAFETY FOOT WEAR SHOES SIZE : 43	PR	30		
9	1000004136	Unisex Black Safety Shoes – size:36	PR	15	<p>1.Conforms to EN ISO 20345 latest issue Class: I , Category S2, S1P, SRC</p> <p>2.Size: According to EN ISO 20345 latest issue.</p> <p>3.Testing: According to EN 20344.</p> <p>4.Marking: Each item should be clearly and permanently marked with size- Manufacturer Details- Name/logo, identification mark, and model identification., And date of manufacturing.</p> <p>5.Requirements: Information to Be Supplied: As mentioned in EN 20345, should include:</p> <p>5.1.Updated catalog and technical data sheets.</p> <p>5.2.Detailed product specification sheet showing construction, limitations of use, standard number, etc.</p> <p>5.3.EC-type examination certificate from a notified body and detailed test reports referred to in the conformity.</p> <p>5.4.Storage and cleaning instructions. Sample of the offered safety shoes for evaluation.</p>	
10	1000004137	Unisex Black Safety Shoes – size:37	PR	35		
11	1000004138	Unisex Black Safety Shoes – size:38	PR	35		
12	1000004139	Unisex Black Safety Shoes – size:39	PR	15		

**Order No. (250100016)**

(Each point must be confirmed/commented upon and must be submitted along with the bid)

<b>B.</b>	<b>COMMERCIAL</b>	Vendor's/Supplier's acceptance/ comments
1	Manufacturer name	
2	Full address	
3	Supplier name	
4	Full address	
5	Offer No.	
6	Offer validity (at least 60 days from closing date)	
7	Details of Packing of goods offered.	
	Place of goods delivery	
8	Accordance to Jordan prevailing law, you should pay 6 per thousand of the total order to cover the REVENUE STAMPS	
9	Any extra optional and/or additional services should be clearly detailed and priced.	
10	Promised delivery date shall be provided.	
11	Price Inclusive/Exclusive Income Tax	

**Jordan Petroleum Refinery Company**  
**Quote Order**

Date 13/02/2025  
Page - 1

**Order Number 25010042 OQ 00001**

**Delivery Instructions**

**Branch/Plant** 2002  
**Order Date** 13/02/2025  
**Request Date** 12/08/2025  
**Freight Handling**

**General Description 1 100055** SAFETY FOOT WEAR BOOT ACCORDING TO THE FOLLOWING SPECIFICATIONS:  
-CONFORMS TO EN ISO 20345 LATEST ISSUE -PERSONAL PROTECTIVE EQUIPMENT-SAFETY FOOT WEAR CATEGORY:S3,HRO,SRC.  
-BLACK ANKLE BOOT DESIGN(B),FULL GRAIN LEATHER  
-SAFETY FOOT WEAR ACCORDING TO CLASSIFICATION(I)OF RELEVANT STANDARD.  
-STEEL OR COMPOSITE MATERIAL TOE CAP & INSOLE.  
-ANTI STATIC, ANTI SLIP.  
-NITRILE SOLE/OUTSOLE RESISTANT TO ACIDS/BASES,LUBRICANT OIL AND PARTICULARLY PETROLEUM PRODUCTS.  
-HEAT RESISTANT SOLE/OUTSOLE.  
-ANTIBACTERIAL LINING.  
-SIZE ACCORDING TO EN ISO 20345 LATEST ISSUE-(FRENCH STANDARD).

**MARKING:**

EACH ITEM OF SAFETY WEAR BOOT SHALL BE CLEARLY PERMANENTLY MARKED WITH THE FOLLOWING:  
-MANUFACTURER NAME/LOGO,IDENTIFICATION TRADE MARK AND MODEL IDENTIFICATION.  
-STANDARD NO.,SYMBOL CATEGORY:S3,HRO,SRC.  
-DATE OF MANUFACTURING.

**REQUIREMENTS:**

THE FOLLOWING SHALL BE FORWARDED WITH THE OFFERS:-  
-UPDATED CATALOGUES,TECHNICAL DATA SHEETS.  
-EC-TYPE EXAMINATION CERTIFICATE FROM NOTIFIED BODY AND THE DETAILED TEST REPORTS REFERRED TO IN THE CONFORMITY CERTIFICATE ACCORDING TO EN ISO 20345 LATEST ISSUE  
-CLEANING AND STORAGE INSTRUCTIONS.  
- SAMPLE OF THE OFFERED BOOTS.

**APPLICATION:**

GENERAL MAINTENANCE,OPERATION AND INDUSTRIAL PURPOSES.  
TO PROTECT FOOT AGAINST MECHANICAL RISKS OF SOLE PENETRATION,TOES CRUSHING AND SLIPS.

**IMPORTANT NOTE:**

**Jordan Petroleum Refinery Company  
Quote Order**

**Order Number 25010042 OQ 00001**

Line No.	VOCAB Number	Description	Part Number	Drawing Number	Ordered Quantity	Unit	Supplier Offer Price	Supplier Offer Currency	Original Order No	Ong Type	LineNo
<p>PAYMENT WILL NOT BE EFFECTED UNLESS THE ADMISSION OF SAFETY MATERIALS FOR HANDLING IN THE H.K OF JORDAND PREMITTED BY JORDANIAN STANDARDS AND METROLOGY ORGANIZATION (JSMO), AS (JSMO)IS THE ONLY OFFICIAL AUTHORITY IN THE H.K. OF JORDAN,WICH IS AUTHORIZED BY JORDANIAN LAW TO ACCEPT THE SUPPLIED MATERIALS / SAMPLES INSIDE JORDAN FOR THE DELIVERED SAFETY MATERIALS AND CARRY OUT ASSESSMENT TO ENSURE CONFORMITY WITH RELEVANT SPECIFICATIONS ACCORDING TO JORDANIAN LAW.</p>											
<b>General Description 2</b>											
1	1000004025	SAFETY FOOT WEAR BOOT SIZE NO.:39			40.000	PR			25010016	OR	1
2	1000004026	SAFETY FOOT WEAR BOOT SIZE NO.:40			60.000	PR			25010016	OR	2
3	1000004028	SAFETY FOOT WEAR BOOT SIZE NO.:42			250.000	PR			25010016	OR	3
4	1000004029	SAFETY FOOT WEAR BOOT SIZE NO.:43			200.000	PR			25010016	OR	4
5	1000004030	SAFETY FOOT WEAR BOOT SIZE NO.:44			100.000	PR			25010016	OR	5
6	1000004031	SAFETY FOOT WEAR BOOT SIZE NO.:45			100.000	PR			25010016	OR	6

**General Description 1 100056 SAFETY FOOT WEAR SHOES ACCORDING TO THE FOLLOWING SPECIFICATIONS:**

- \* CONFORMS TO EN ISO 20345 LATEST ISSUE- PERSONAL PROTECTIVE EQUIPMENT- SAFETY FOOT WEAR.
- CLASSIFICATION (I),DESIGN(A),CATOGARY(S3),(SRC),(HRO),(WR)
- \* BLACK ,FULL GRAIN LEATHER .
- \* STEEL OR COMPOSITE MATERIAL TOE CAP & INSOLE
- \* NITRILE SOLE / OUTSOLE RESISTANT TO ACIDS/ BASES, LUBRICANT OIL AND PARTICULARLY SUITABLE FOR PETROLEUM PRODUCTS.
- \* ANTIBACTERIAL LINING.
- \* SIZE: ACCORDING TO EN ISO 20345 LATEST ISSUE -( FRENCH STANDARD)
- \* TESTING SHALL BE ACCORDING TO EN 20344



Jordan Petroleum Refinery Company  
Quote Order

Order Number 25010042 QQ 00001

Line No.	VOCAB Number	Description	Part Number	Drawing Number	Ordered Quantity	Unit	Supplier Offer Unit Price	Original Order No	Orig Type
----------	--------------	-------------	-------------	----------------	------------------	------	---------------------------	-------------------	-----------

**\*\*MARKING:**

SHALL BE ACCORDING TO EN20345 WHERE EACH ITEM OF SAFETY WEAR SHOES SHALL BE CLEARLY PERMANENTLY MARKED WITH THE FOLLOWING:-

- SIZE
- MANUFACTURER NAME /LOGO, IDENTIFICATION MARK AND MODEL IDENTIFICATION.
- STANDARD NO.,SYMBOL CATEGORY: S3,HRO,SRC,WR .
- DATE OF MANUFACTURING.
- MARKING CATOGORY AND ADDITIONAL REQUIRMENTS.

**\*\* REQUIREMENTS:-**

- "INFORMATION TO BE SUPPLIED"MENTIOND IN EN 20345 SHALL BE PROVIDED WITH THE OFFER (BUT NOT LIMITED TO) THE FOLLOWING:
- UPDATED CATALOG,TECHNICAL DATA SHEETS.
- DETAILED PRODUCT SPECIFICATION SHEET SHOWING CONSTRUCTION, LIMITATION OF USE, STANDARD NO, ..... ETC.
- EC- TYPE EXAMINATION CERTIFICATE FROM NOTIFIED BODY AND THE DETAILED TESTS REPORTS REFERRED TO IN THE CONFORMITY CERTIFICATE ACCORDING TO EN ISO 20345 LATEST ISSUE .
- TEST CERIFICATES INCLUDES ALL REQUIRED TESTS THAT ILLUSTRATED ACCORDING TO EN ISO 20345 LATEST ISSUE .
- STORAGE AND CLEANING INSTRUCTIONS.
- SAMPLE OF THE OFFERED SAFETY SHOES.

**\*\*APPLICATION:**

GENERAL MAINTENANCE,OPERATION AND INDUSTRIAL PURPOSES. TO PROTECT FOOT AGAINST MECHANICAL RISKS OF SOLE PENETRATION,TOES CRUSHING AND SLIPS.

**\*\*IMPORTANT NOTE:**

PAYMENT WILL NOT BE EFFECTED UNLESS THE ADMISSION OF SAFETY MATERIALS FOR HANDLING IN THE H.K OF JORDAND PREMITTED BY JORDANIAN STANDARDS AND METROLOGY ORGANIZATION (JSMO), AS (JSMO)IS THE ONLY OFFICIAL AUTHORITY IN THE H.K. OF JORDAN,WICH IS AUTHORIZED BY JORDANIAN LAW TO ACCEPT THE SUPPLIED MATERIALS / SAMPLES INSIDE JORDAN FOR THE DELIVERED SAFETY MATERIALS AND CARRY OUT ASSESSMENT TO ENSURE CONFORMITY WITH RELEVANT SPECIFICATIONS ACCORDING TO JORDANIAN LAW.



**Jordan Petroleum Refinery Company**  
**Quote Order**

Order Number 25010042 OQ 00001

Line No.	VOCAB Number	Description	Part Number	Drawing Number	Ordered Quantity	Unit	Supplier Offer Unit Price	Original Order No	Orig Type
----------	--------------	-------------	-------------	----------------	------------------	------	---------------------------	-------------------	-----------

**General Description 2**

7	1000004048	SAFETY FOOT WEAR SHOES	SIZE : 42		30.000	PR		25010016 OR	7
8	1000004049	SAFETY FOOT WEAR SHOES	SIZE : 43		30.000	PR		25010016 OR	8

**General Description 1 100223 Unisex Black Safety Shoes Specifications:**

Standard: Conforms to EN ISO 20345 latest issue - Personal Protective Equipment - Safety Footwear.  
 Class: I , Category S2,S1P, SRC  
 Size: According to EN ISO 20345 latest issue.  
 Testing: According to EN 20344.  
 Marking  
 Size: Each item should be clearly and permanently marked with size.  
 Manufacturer Details: Name/logo, identification mark, and model identification.,  
 And date of manufacturing.  
 Requirements:  
 Information to Be Supplied: As mentioned in EN 20345, should include:  
 Updated catalog and technical data sheets.  
 Detailed product specification sheet showing construction, limitations of use, standard number, etc.  
 EC-type examination certificate from a notified body and detailed test reports referred to in the conformity.  
 Storage and cleaning instructions.  
 Sample of the offered safety shoes for evaluation.

**General Description 2**

9	1000004136	Unisex Black Safety Shoes --	size:36		15.000	PR		25010016 OR	9
10	1000004137	Unisex Black Safety Shoes --	size:37		35.000	PR		25010016 OR	10
11	1000004138	Unisex Black Safety Shoes --	size:38		35.000	PR		25010016 OR	11
12	1000004139	Unisex Black Safety Shoes --	size:39		15.000	PR		25010016 OR	12